



VISCOUNT  
PLASTICS AUSTRALIA  
MATERIALS  
HANDLING  
LOGISTIC  
SOLUTIONS  
CATALOGUE  
Materials Handling Solutions  
for the real world



# VISCOUNT PLASTICS AUSTRALIA MATERIALS HANDLING LOGISTIC SOLUTIONS CATALOGUE

Materials Handling Solutions  
for the real world

Viscount Plastics offers a diverse range of Logistic Solutions to suit your Materials Handling needs. The Viscount range of Logistic Solutions includes the iconic Bulk Bins – Nally MegaBins, Pallets (Australian footprint and export), Spill Guards, rotationally moulded bulk handling tubs, the Nally Merchandising Unit - including the new top load strapping system. As well as a safety range which includes the secure step.

Viscount also has the ability to design and project manage to your individual requirement.

Viscount Plastics' Materials Handling Logistic Solutions is about economising your supply chain by using multi-trip systems.

Our environmental product range gives savings back to the customer, effectively strengthening your packaging covenant commitments.

Working with customers to help them reduce waste and improve efficiencies in their supply chain is a key objective for Viscount Plastics Materials Handling.

With worldwide facilities producing innovative products and solutions, we are perfectly placed to support global players at a local level.

Materials Handling Viscount Plas  
Australia Materials Handling Vis  
Plastics Australia Materials Har  
Viscount Plastics Australia Ma  
Handling Viscount Plastics A  
Materials Handling Viscount'  
Australia Materials Handlin  
Plastics Australia Material  
Viscount Plastics Austr  
Handling Viscount Plas  
Materials Handling Vis  
Australia Materials Hr  
Plastics Australia Mr  
Viscount Plastics A  
Handling Viscount'  
Materials Handlir  
Australia Materir  
Plastics Austr  
Australia Mate  
Plastics Aust  
Viscount Pl  
Handling V  
Materials  
Australia  
Plastics  
Viscount  
Hand  
Mat  
Aut  
Pl  
V

**Viscount Plastics (Australia) Pty. Ltd.**  
Sales Enquires: 1800 659 075  
Email: mh@viscount.com.au  
Web: www.viscount.com.au  
ABN: 76007862393

# CONTACT US

**Viscount Plastics - NSW**  
98 Airds Road  
Minto, 2566  
New South Wales, Australia  
Tel: +61 (0)2 9820 2222  
Fax: +61 (0)2 9820 2298











**Viscount Plastics - VIC**  
81 Frankston Gardens Drive  
Carrum Downs, 3201  
Victoria Australia  
Tel: +61 (0)3 8770 3200  
Fax: +61 (0)3 8770 3204

**Viscount Plastics - QLD**  
180-198 Cobalt Street  
Carole Park, 4300  
Queensland, Australia  
Tel: +61 (0)7 3723 8400  
Fax: +61 (0)7 3271 3165













**Viscount Plastics - WA**  
173-175 Bannister Road  
Canning Vale, 6155  
Western Australia  
Tel: +61 (0)8 9456 8200  
Fax: +61 (0)8 9456 8299

As Viscount Plastics (Australia) Pty Ltd has borne the cost of development of the product and tool, it is to be understood that all intellectual property rights, including patents, registered designs and copyrights and trade secrets are the property of the company. Viscount Plastics shall not accept liability of any kind arising out of the misuse of this product or use of any other purpose other than intended use as indicated herein. All information supplied in this Catalogue was correct at the time of publication. Viscount Plastics retains the right to change specifications without notice in accordance with a policy of continued product development. Effective 01.10.2012. Edition II






# INDEX

Nally MegaBins	06	
Merchandising Units	07	
Pallets	08	
Pallet Bins	09	
Roto Square & Rectangular Containers	10 - 12	
Roto Drums & Buckets	13 - 14	
Spill Guards	15	
Tubs	16	
Buckets (Injection)	17	
Safety	18 - 19	

## SPECS

-  = Stackable
-  = Nestable
-  = Food Grade Material Used
-  = Rotationally Moulded
-  = Injection Moulded
-  = Recycled Polyethylene
-  = Low Density Polyethylene
-  = Medium Density Polyethylene
-  = High Density Polyethylene
-  = Polypropylene
-  = Unit Weight
-  = Weight Capacity (Maximum Load)
-  = Capacity (Litreage)
-  = Stock Colour

## STOCK COLOUR

-  = Customer Specified
-  = Beige
-  = Grey
-  = Black
-  = Natural
-  = Red
-  = Green
-  = Orange
-  = Yellow
-  = Blue
-  = White

# KEY

Please Note: Images featured in this catalogue are not to scale.

Dimensions are nominal (tolerances of up to +/- 1% should be anticipated).

For more detailed information on any of the products featured, specification sheet are available upon request.

Injection Moulded Materials: All products are manufactured from either polypropylene (temperature range of -0°C to +130°C) or high density polyethylene (temperature range -20°C to +100°C). The above temperature performance limits are dependent upon application, product design and top load requirements.

Rotationally Moulded Materials: All products manufactured by rotational moulding from high density polyethylene have a temperature range of -18°C to +65°C. The above temperature performance limits are dependent upon application, product design and top load requirements.

Note regarding Grid Mat IG051: Viscount recommend grid matting capacity trials be carried out in each case. The load bearing capabilities of plastics improve at reduced temperatures and are lowered at elevated temperatures. Conversely, as with all plastic materials, impact resistance is reduced at lower temperatures and increases at higher temperatures.

# NALLY MEGABINS

The Nally MegaBin is the original Australian bulk bin. Designed for fruit and vegetable movement and retail high performance the Nally MegaBin is clearly the way of plastic produce bins in Australia.

Rounded corners and smoother interior surfaces results in less bruising and damage to your produce. Multiple vents in sides and base provide superior airflow so products cool faster adding valuable shelf life to your produce. Unique design with rounded entry has a larger forklift entry height than wooden bins, and the smooth, non-absorbent surface is not affected by dipping operations.

The design is compatible with most bin handling equipment. Bins feature unique moulded label holders for cards and tags. Small, exterior pads reduce scratches. Easy, clear ownership with identification with hot foil stamping. Comfortable handholds are built in for easy lifting and handling of bins. The positive interlocking foot design permits fast and safe stacking.

Nally Megabins are up to 40% lighter in weight than wood bins and the weight is constant as they don't absorb moisture. This allows for increased freight efficiencies of 4-5%. In practice you are able to transport 2-3 extra bins of fruit per semi-trailer load.

A strong bin cover, tipping bars, liquid bungs, hotstamping and numbering are all available at your request.



MS7800 Solid MegaBin  
MS7800B Solid MegaBin with Bung



MS7810 Ventilated MegaBin



MS7800T



MSLID

Above: Lid shown horizontally  
Left: Lid shown vertically



Racking Feet

Product Code:	Product	Capacity	External Dimensions:		
			L	W	H
MS7800	Solid MegaBin	780L	1165mm	1165mm	780mm
MS7800B	Solid MegaBin with Bung	780L	1165mm	1165mm	780mm
MS7810	Vented MegaBin	720L	1165mm	1165mm	730mm
MS7800T	MegaBin with Tipping Bars	780L	1165mm	1165mm	730mm
MSLID	Lid to suit Bins	N/A	1180mm	1180mm	35mm
Racking Feet	N/A	N/A	N/A	N/A	N/A

# MERCHANDISING UNITS

Don't carry it... Nally MU it. These merchandising units are Australian designed and made. They are perfect for a wide range of the genuine Nally plastic solutions and best of all they contribute to business savings.

Designed for either a pallet base or a rolling version with light weight, strong, easy flow castors the Nally MU will hold 500kg of uniformly distributed weight.

Merchandising units are not just skates, they have the ability to change the way you handle merchandise. Designed to last, these units are made in Food Grade resin and are under 10kg to lift. There are various other features like RFID ability, movement handling, Pop Ups and attractive Sleeve Pack options. For more details talk to your Nally sales representative or customer service team today.



IH4000



IH4006



1. IH4006 with RFC crates
2. IH4000 with stacked crates
3. IH4000 with sleeve

Product Code:	Product	External Dimensions:		
		L	W	H
IH4000	Nally Merchandising Unit Dolly Version	790mm	600mm	195mm
IH4006	Nally Merchandising Unit Pallet Version	790mm	600mm	172mm



# PALLETS

Viscount has a range of plastic pallets for the storage and freight of goods, which provide a host of advantages.

- Environmentally friendly
- Minimal pallet maintenance required
- Hygienic - easy cleaned & sterilized
- Economical – lightweight, reducing freight costs
- Tough and durable – great impact resistance
- Easy transport for large or small product volumes



IH537 - Vipallet



NS900 Nally Enviropal®



NS910 Nally Export Pallet



MH1672 Flat Top Pallet



MH1673 Flat Top Pallet Raised Edge

Product		External Dimensions:					
Code:	Product	Drive-in Racking*	Dynamic Load**	Static Storage	L	W	H
IH537	Vipallet	500kg	1,000kg	4,000kg	1168mm	1168mm	160mm
NS900	Nally Enviropal®	1,000kg	2,000kg	8,000kg	1165mm	1165mm	150mm
NS910	Nally Export Pallet	N/A	1,000kg	1,000kg	1100mm	1100mm	130mm
MH1672	Flat Top Pallet	N/A	N/A	500Kg	1165mm	1165mm	150mm
MH1673	Flat Top Pallet	N/A	N/A	500Kg	1165mm	1165mm	150mm

\*Drive-in Racking / Drive-thru Pallet Racking

\*\*Dynamic Load - Fork-lift movement

**Please Note:** For all Drive - in / Drive - thru applications Viscount recommend that racking trials be carried out in each case. The load bearing capabilities of plastics improve at reduced temperatures and are lowered at elevated temperatures. Conversely, as with all plastic materials, impact resistance is reduced at lower temperatures and increases at higher temperatures. All loads must be uniformly distributed on the pallet deck - no point loads.

# PALLET BINS

The 1000L Pallet Bin is made from Food Grade Polyethylene and can be stacked up to two units high when full. With forklift entry storage and transport is made easy.

The 1500L Pallet Bin has a steel reinforced lip for added strength & rotatable forklift entry. The Pallet Bin is made from Food Grade Polyethylene and can stack for transport two units high or nest.

The Poly Box has been designed to carry solid material and with forklift entry is easy to both tip and transport. The multifunctional split door also allows greater flexibility of applications and easy hand loading.



MH1630 Pallet Bin



MH1632 Pallet Bin with Tipping Bars




MH1631 Pallet Bin Lid



MH1690 Pallet Bin



MH1705 Poly Box



Product		Dimensions:							
Code:	Product	Volume	Capacity	L1	W1	H1	L2	W2	H2
MH1630	Pallet Bin	1000L	1000Kg	1030mm	890mm	1137mm	1030mm	890mm	1137mm
MH1632	Pallet Bin TB	1000L	1000Kg	1030mm	890mm	1137mm	1030mm	890mm	1137mm
MH1631	Pallet Bin Lid	N/A	N/A	1240mm	1240mm	85mm	N/A	N/A	N/A
MH1690	Pallet Bin	1500L	1500Kg	1157mm	1130mm	1395mm	977mm	961mm	1395mm
MH1705	Poly Box	865L	1400Kg	1200mm	1180mm	960mm	950mm	935mm	800mm

# ROTO SQUARE & rectangular containers

Versatile in both size and shape this extensive range of rectangular containers can solve your storage problems. Straight walled with robust top flanges, these containers are suitable for products ranging from food items, general materials and even chemical applications. Moulded in tough food grade polyethylene these storage tubs also have the option of a lid for extra content protection. With capacities ranging from 140L to 1380L - there is a solution to suit you.



MH1620 Rectangular Tray



MH1621 Rectangular Tray



MH1659 Rectangular Tray



TA1209 Rectangular Tank



TA1208 Square Tank\*



TA1213 Rectangular Tank

\*Lid also available - see p.12

Product Code:	Product	Capacity	Dimensions:					
			L1	W1	H1	L2	W2	H2
MH1620	Rectangular Tray	50L	800mm	750mm	120.6mm	550mm	505mm	100mm
MH1621	Rectangular Tray	95L	1040mm	990mm	116.3mm	790mm	740mm	96.3mm
MH1659	Rectangular Tray	120L	1320mm	1200mm	214mm	560mm	502mm	190mm
TA1209	Rectangular Tank	140L	725mm	675mm	530mm	495mm	445mm	490mm
TA1208	Square Tank	165L	720mm	620mm	510mm	720mm	620mm	475mm
TA1213	Rectangular Tank	170L	720mm	655mm	720mm	490mm	425mm	650mm

# ROTO SQUARE & rectangular containers



MH1665 Square Tank Mobile Food Bin\*



TA1216 Rectangular Tank\*



TA1221 Rectangular Tank\*



TA1224 Rectangular Tank\*




TA1233 Rectangular Tank



TA1229 Rectangular Tank\*



Image left: Mobile Food Bin & Trolley. For more information on trolleys to accompany any of the square or rectangular containers just ask one of our friendly team today.



\*Lid also available - see p.12

Product Code:	Product	Capacity	Dimensions:					
			L1	W1	H1	L2	W2	H2
MH1665	Square Tank Mobile Food Bin	210L	620mm	570mm	575mm	617mm	600mm	545mm
TA1216	Rectangular Tank	250L	1170mm	1020mm	530mm	660mm	510mm	490mm
TA1221	Rectangular Tank	310L	665mm	560mm	915mm	665mm	560mm	880mm
TA1224	Rectangular Tank	455L	1370mm	1230mm	645mm	755mm	615mm	600mm
TA1233	Rectangular Tank	600L	1175mm	1545mm	590mm	885mm	650mm	530mm
TA1229	Rectangular Tank	690L	1335mm	1235mm	975mm	720mm	620mm	930mm

# ROTO SQUARE & rectangular containers



TA1238 Rectangular Tray



TA1240 Rectangular Tray



TA1244 Rectangular Tray



TA1217 Lid to suit TA1216




TA1666 Lid to suit Mobile Food Bin MH1665



TA1210 Lid to suit TA1208 & TA1221



TA1225 Lid to suit TA1224 & TA1229



Product Code:	Product	Capacity	Dimensions:					
			L1	W1	H1	L2	W2	H2
TA1238	Rectangular Tank	990L	2045mm	1905mm	850mm	815mm	675mm	782mm
TA1240	Rectangular Tank	1220L	2031mm	1905mm	840mm	956mm	830mm	785mm
TA1244	Rectangular Tank	1380L	2140mm	1905mm	900mm	1190mm	925mm	800mm
TA1217	Rectangular Tank Lid	N/A	1190mm	680mm	50mm	N/A	N/A	N/A
TA1666	Mobile Food Bin Lid	N/A	680mm	700mm	80mm	N/A	N/A	N/A
TA1210	Square Tank Lid	N/A	730mm	730mm	50mm	N/A	N/A	N/A
TA1225	Rectangular Tank Lid	N/A	1400mm	780mm	50mm	N/A	N/A	N/A

# ROTO DRUMS & BUCKETS

Calibrated buckets, closed head drums and tapered drums are what this range is about. The variety of sizes and assurance of clean efficient design gives the user flexibility and choice. Moulded in tough food grade polyethylene, this range of solutions is great visually and is a trusted Australian marketplace staple.



MH1600 Calibrated Bucket & MH1601 Lid to suit



MH1605 Closed Head Drum



MH1606 Closed Head Drum



MH1607 Closed Head Drum

Product Code:	Product	Capacity	Dimensions:	
			Diameter	Height
MH1600	Calibrated Bucket	25L	315mm	375mm
MH1601	Lid to Suit MH1600	N/A	N/A	N/A
MH1605	Closed Head Drum	125L	495mm	675mm
MH1606	Closed Head Drum	235L	600mm	865mm
MH1607	Closed Head Drum	265L	590mm	1040mm



# ROTO DRUMS



MH1640 Nesting Drum  
MH1641 Lid



MH1643 Nesting Drum  
MH1644 Lid



MH1647 Nesting Drum  
MH1649 Lid



MH1648 Nesting Drum  
MH1653 Lid

Product			Dimensions:	
Code:	Product	Capacity	Diameter	Height
MH1640	Nesting Drum	40L	430mm	460mm
MH1643	Nesting Drum	58L	490mm	450mm
MH1647	Nesting Drum with Lid	115L	540mm	710mm
MH1648	Nesting Drum with Lid	215L	630mm	920mm

# SPILLGUARDS

Both the NS905 and NS906 Spillguard Bunded Pallets share the following features:

- Positive stacking for security
- Environmentally friendly, economical and easy to clean
- Corrosion and rot proof body. HDPE material for durability and chemical resistance
- One piece, no steel bar construction, cellular design
- Ideal for handling specific liquids to a wide variety of applications from aviation fuel to cooking oil
- Spill-Guard is designed for strength and is 100% recyclable
- 4 conveniently located drainage plugs for decanting

The MH1627 Bunded Pallet is designed for containing spillage of both hazardous and non-dangerous materials. With a holding capacity of 240 litres, the bunded pallet comes with a formed internal draining floor and a galvanized structural platform. A 50mm threaded drain plug is provided for easy drainage.

Grid Options include:

- Galvanized Steel grating
- Galvanized Steel expanded mesh
- Two way forklift access



NS906 Spillguard Containment Pallet - 4 Drum



NS905 Spillguard Containment Pallet - 2 Drum



MH1627 Bunded Pallet

Product		External Dimensions:		
Code:	Product	L	W	H
NS906	Spillguard Containment Pallet - 4 Drum	620mm	620mm	280mm
NS905	Spillguard Containment Pallet - 2 Drum	1240mm	1240mm	280mm
MH1627	Bunded Pallet	1157mm	1157mm	410mm



# TUBS

If its hospitality crates or tubs that you are looking for, again Viscount has the answer. Designed with smooth lines, and moulded from food grade material, the hospitality range is diverse and incorporates the needs of the industry.

Whether it is your safety or the safety of your product, plastic that is manufactured by an Australian manufacturer ensures your needs are accommodated.



IH091 Meat and Poultry Tub



IH539 ViTub



IP015 Solid Tub & IP016 Lid



IP018 Solid Tub & IP016 Lid



IP025 Solid Tub & IP026 Lid

Product Code:	Product	Capacity	External Dimensions:		
			L	W	H
IH091	Meat and Poultry Tub	54L	700mm	600mm	340mm
IH539	ViTub	200L	990mm	660mm	470mm
			Diameter	Height	
IP015	Solid Tub	67L	540mm	508mm	
IP018	Solid Tub	84L	540mm	610mm	
IP016	Lid to suit IP015/18	N/A	N/A	N/A	
IP025	Solid Tub	113L	637mm	455mm	
IP026	Lid to suit IP025	N/A	N/A	N/A	

# BUCKETS



N151 Solid Bucket with Handle & N148 Lid



N258 Solid Bucket with Handle & N073 Lid



N075 Solid Bucket with Handle & N073 Lid

Want more information?  
Contact us directly:

Enquires: 1800 659 075  
Fax: 1800 462 954  
Email: [mh@viscount.com.au](mailto:mh@viscount.com.au)  
Web: [www.viscount.com.au](http://www.viscount.com.au)

For a catalogue on Viscount's crates range, ask one of our friendly team today!

Product Code:	Product	Capacity	Dimensions:	
			Diameter	Height
N151	Solid Bucket & Handle	13.6L	300mm	295mm
N258	Solid Bucket & Handle	18.2L	360mm	295mm
N075	Solid Bucket & Handle	22.7L	360mm	360mm

# SAFETY

In the workplace of today, safety is paramount. These solutions are about ensuring your staff are efficient and, importantly, safe as they work. Viscount's safety range is designed for longevity and performance with key features including:

- High tolerance to weathering, so no colour fading
- Bright colour range for high visibility
- Designed for ease of use and installation
- Easily adapted to be used in a multitude of applications



- Sturdy yet light weight construction
- Nestable for compact storage
- Temperature rated to 30°C
- Optional rubber feet
- Four way access
- Anti-slip pads
- High visibility



## IN3020 - Secure Step

Viscount's Secure Step has been designed to allow the user to reach higher places safely. With four way access the Secure Step offers a safe brightly coloured, work platform with large contrasting anti-slip pads on all contact surfaces. Nestable for easy storage, lightweight and with optional rubber feet, the Viscount Secure Step is a step ahead of the rest.



1t\* - See note regarding Grid Mat on p.5



## IG051 - Grid Mat

Product		Dimensions:			
Code:	Product	Base Width	Platform Area	First Step Height	Total Height
IN3020	Secure Step	490mm x 490mm	400mm x 400mm	180mm	360mm
		L	W	H	
IG051	Grid Mat	508mm	508mm	25mm	



- Easy installation
- Easy maintenance
- No colour loss due to weathering
- Reduces damage to racking
- Excellent impact strength
- Quick release fasteners
- High visibility



## IN3015 - Racking Protector

This product has been designed to reduce damage to your racking and equipment. Ideal for delivery zones or areas with high forklift movement, the innovative design combines excellent impact strength without compromising your storage space and can be moulded in a range of colours to suit your workplace.



- Easy installation
- Easy maintenance
- No colour loss due to weathering
- Reduces damage to corners or racking
- Excellent impact strength
- Fastening points
- Optional Velcro
- High visibility



## IN3010 Corner Protector

The Corner Protector has been designed to reduce damage to your walls or racking. Ideal for both delivery zones or areas with high forklift movement, the innovative design combines excellent impact strength without compromising your storage space. The Corner Protector can also be moulded in a range of colours to suit your workplace.

- Modular system to suit any carriage ways
- Highly effective in controlling traffic speed
- Coloured for high visibility
- End caps available

Note: Both Speed Hump (IN3975) & End Cap (IN3976) shown in image to right.



## IN3975 Speed Hump IN3976 End Cap

This cost effective alternative to concrete/steel speed humps is ideal for all high traffic areas. Constructed from UV stabilised LLDPE, its resistance to weathering and structural integrity provide excellent long-term load bearing capabilities, while the modular design makes installation easy. High tolerance to wear & weathering



Note: Two units (IN3005) shown in image to left.

- Reduces structural damage as well as damage to equipment
- Suitable for use with 200, 250 & 310 Universal Columns
- Low profile reduces loss of space
- High tolerance to weathering
- Easily installed and maintained
- High visibility



## IN3005 - Column Protector

This innovative product is designed to reduce structural damage by reducing potential impact on 'I' beams as well as to protect your valuable equipment. The Column Protector is ideal for structures with high delivery or forklift movement, whilst the low profile construction provides optimal impact strength without reducing your available workspace.



- Protects your downpipe from costly damage repairs
- High tolerance to weathering
- Light weight
- High visibility
- Six Fastening points



## IN3000 - Downpipe Protector

This product is designed to prevent costly damage to downpipes and cars, whilst its flexible design suits both rectangular and circular downpipes. The adaptable low profile construction also provides optimal impact strength without intruding on available car parking space. Designed to protect your car as well as your downpipes



## IN4610 - Fender Guard



- Saves you money by avoiding costly repair jobs
- Ability to be used in a multitude of applications
- Prevents structural damage
- Bright in colour
- Easily installed

Flexibility of design allows this innovative new product to be used for a variety of applications. The Fender Guard is made from UV stabilised LLDPE and cushions the impact of any number of objects including boats, cars and forklifts. This product is ideal for marinas, carparks and factories.



Product		External Dimensions:		
Code:	Product	L	W	H
IN3015	Racking Protector	131mm	184mm	500mm
IN3010	Corner Protector	165mm	65mm	1200mm
IN3975	Speed Hump	800mm	412mm	63mm
IN3005	Column Protector	150mm	120mm	1200mm
IN3000	Downpipe Protector	R166mm	333mm	1000mm
IN4610	Fender Guard	150mm	50mm	1250mm



## Viscount Plastics (Australia) Pty. Ltd.

Sales Enquires: 1800 659 075  
Email: [mh@viscount.com.au](mailto:mh@viscount.com.au)  
Web: [www.viscount.com.au](http://www.viscount.com.au)  
ABN: 76007862393

### Viscount Plastics - NSW

98 Airds Road  
Minto, 2566  
New South Wales, Australia  
Tel: +61 (0)2 9820 2222  
Fax: +61 (0)2 9820 2298

### Viscount Plastics - VIC

81 Frankston Gardens Drive  
Carrum Downs, 3201  
Victoria Australia  
Tel: +61 (0)3 8770 3200  
Fax: +61 (0)3 8770 3204

### Viscount Plastics - QLD

180-198 Cobalt Street  
Carole Park, 4300  
Queensland, Australia  
Tel: +61 (0)7 3723 8400  
Fax: +61 (0)7 3271 3165

### Viscount Plastics - WA

173-175 Bannister Road  
Canning Vale, 6155  
Western Australia  
Tel: +61 (0)8 9456 8200  
Fax: +61 (0)8 9456 8299